

# Greathall Productions, Inc

## Certificate of Compliance Information

### **Product:**

Packaged CD in industry standard case(s) with industry standard inserts. All like-packaged titles have identical components, materials, 4-color soy based inks, and manufacturing processes. Titles differ only in artistic design and recorded intellectual property, which by definition do not contain toxic materials. The CD's are made of polycarbonate and a soy-base ink is used for the inserts

### **CSPIA Product Safety Regulations:**

**This product and its components comply with all applicable rules, bans, standards, or regulations under any statute enforced by the Consumer Product Safety Commission, as are currently effective:**

**\*Lead in Paint & Surface Coatings**

**\*Lead in Substrate of Children's Products**

**\*Optional XRF Testing (in process)**

**\*Third Party Testing will be done by February, 2010 if still pertinent to CD's at that time**

### **Publisher of Record:**

Greathall Productions, Inc.

PO Box 5061, Charlottesville, VA 22905-5061

[greathall@greathall.com](mailto:greathall@greathall.com) \* 800 477-6234

For more information, please contact: Randy Weiss, CEO

**Please see statements (available at [www.greathall.com](http://www.greathall.com)) from all production suppliers attesting that Greathall products do not contain prohibited levels of lead that exceed either current limits or the upcoming more stringent 90 ppm limits. Optical discs, printed material, and cases may fall under the definition of "children's product", but do not fall under the current definitions of "children's toy" or "child care article" regarding phthalates (CPSC General Advisory Opinion, 12-23-08).**

**CD Products have been widely distributed in the United States, Canada and various other international destinations without presenting significant safety concerns. Greathall products are free from any components that could be potentially swallowed by a child up to six years of age.**

### **Place of Manufacture/Assembly:**

**Central Point, Oregon**

### **Most Recent Date of Manufacture or Assembly:**

**December, 2008**



## Certificate of Compliance

RE: Reduction of Toxics in Packaging

We certify that all packaging and packaging components sold to Phylco Audio Duplication who then supplies the final product to Greathall Productions Inc. comply with the requirements of the toxics in packaging law(s). Specifically:

- 1) We certify that the regulated metals – lead, mercury, cadmium, and hexavalent chromium -- were **not intentionally added** to any package or packaging component during the manufacturing process.
- 2) We further certify that the **sum of the incidental concentration levels** of lead, mercury, cadmium and hexavalent chromium present in any package or package component does not exceed 100 parts per million by weight.
- 3) We will maintain adequate documentation of this certification for inspection upon request.

COMPANY NAME: ACE Packaging Inc.

ADDRESS: 14532 Garfield Ave. Paramount CA 90723 USA

CERTIFIED BY:

V Jun Flores


Name

President

Title

Signature

Date

  
1/12/2009





**CD Graphics**  
A Division of Centerpoint Graphics, Inc.  
**Multimedia Printing**

Hi Gail

Our company CD Graphics supplies CD inserts to Phylco Audio, Central Point Oregon who then supplies the final product to Greathall Productions, Inc. We use only SOY BASED INKS and RECYCLED PAPER. There is nothing used in the production of the CD inserts that would cause a health problem to our customers and the children or adults who come into contact with the finished CD's.

MSDS# DVD

\*\*\*\*\*  
 \* MATERIAL SAFETY DATA SHEET \*  
 \*\*\*\*\*

For screen printing inks as required under 29 CFR 1910.1200(g).

FUJIFILM SERICOL USA, INC.  
 20 WEST 14TH AVENUE  
 NORTH KANSAS CITY, MISSOURI 64116  
 (816) 474-0650

\*\*\*HMIS RATINGS\*\*\*  
 HEALTH-----2  
 FLAMMABILITY-----1  
 REACTIVITY-----1

EMERGENCY PHONE NUMBER PREPARER: CRAIG POGGENPOHL DATE OF PREPARATION  
 (816) 587-8178 EHS MANAGER REVISED 01/09/08/CP

REVISIONS: REVIEWED, NO CHANGES.

=====

SECTION I--PRODUCT IDENTIFICATION

=====

PRODUCT CODE : DVD  
 LABEL IDENTITY: SERIDISC DVD SERIES  
 PRODUCT CLASS : ULTRAVIOLET CURABLE SCREEN INK

=====

SECTION II--HAZARDOUS INGREDIENTS

=====

COMMON NAME (CAS REGISTRY #)	% BY WEIGHT	RECOMMENDED EXPOSURE LIMITS (PPM) <sup>1</sup>		VAPOR PRESSURE (mm Hg @ 20 C) <sup>1</sup>
		ACGIH TLV	OSHA PEL	
GLYCOL ETHER ACRYLATE <sup>3</sup> ( TS )	8-11	NE	NE	< 1
ACRYLATE ESTERS ( TS )	15-30	NE	NE	< 1
ACRYLATED URETHANE ( TS )	5-15	NE	NE	< 1
CARBON BLACK <sup>2,4</sup> (1333-86-4)!	3-5	3.5mg/m <sup>3</sup>	3.5mg/m <sup>3</sup>	NA
TITANIUM DIOXIDE <sup>5</sup> (13463-67-7)	30-40	10 mg/m <sup>3</sup>	15 mg/m <sup>3</sup>	TOTAL DUST
PHOTOINITIATORS ( TS )	7-10	NE	NE	NA

NA - NOT APPLICABLE NE - NOT ESTABLISHED UKN - UNKNOWN TS - TRADE SECRET

<sup>1</sup> UNLESS NOTED OTHERWISE, THE UNITS ARE PPM AND mm Hg @ 20 C, RESPECTIVELY, FOR EXPOSURE LIMITS AND VAPOR PRESSURES.

<sup>2</sup> INHALATION EXPOSURE TO CARBON BLACK AND TITANIUM DIOXIDE IN A TYPICAL SCREEN PRINTING ENVIRONMENT IS UNLIKELY TO OCCUR.

<sup>3</sup> SEE SECTION XIII FOR SARA 313 INFORMATION.

<sup>4</sup> INKS CONTAINING CARBON BLACK: DVD-301 DVD-HTK DVD-PHK

<sup>5</sup> INKS CONTAINING TITANIUM DIOXIDE: DVD-026 DVD-311 DVD-312 DVD-313 DVD-TW  
 DVD26021 DVD26550

=====

SECTION III -- PHYSICAL AND CHEMICAL CHARACTERISTICS

=====

BOILING RANGE: > 200 F.  
 DENSITY: 9.1-12.0 LB./GALLON.  
 VOLATILE ORGANIC COMPOUNDS: LESS THAN 2% BY WEIGHT.  
 VAPOR DENSITY: HEAVIER THAN AIR.  
 EVAPORATION RATE: SLOWER THAN DIETHYL ETHER.  
 APPEARANCE AND ODOR: LIQUID, VARIOUS COLORS, MILD ACRYLATE ODOR.

=====  
SECTION IV -- PHYSICAL HAZARD DATA  
=====

FLAMMABILITY CLASSIFICATIONS: OSHA: CLASS III B DOT: NOT REGULATED  
CLOSED CUP FLASH POINT: > 200 F. EXPLOSIVE LIMITS: UNKNOWN

EXTINGUISHING MEDIA: "CLASS B" FIRE EXTINGUISHERS USED IN ACCORDANCE  
WITH MANUFACTURERS INSTRUCTIONS.

"ALCOHOL" FOAM CO2 DRY CHEMICAL WATER FOG

UNUSUAL FIRE AND EXPLOSION HAZARDS:  
HIGH TEMPERATURES/INHIBITOR DEPLETION/ACCIDENTAL IMPURITIES/EXPOSURE  
TO RADIATION/OXIDIZERS MAY CAUSE SPONTANEOUS POLYMERIZING REACTION,  
GENERATING HEAT/PRESSURE. CLOSED CONTAINERS MAY RUPTURE/EXPLODE  
DURING RUNAWAY POLYMERIZATION.

SPECIAL FIREFIGHTING PROCEDURES:  
DO NOT ENTER FIRE AREA WITHOUT PROPER PROTECTION. SEE SECTION ON  
DECOMPOSITION PRODUCTS POSSIBLE. FIGHT FIRE FROM SAFE  
DISTANCE/PROTECTED LOCATION. HEAT/IMPURITIES MAY INCREASE  
TEMPERATURE/BUILD PRESSURE/RUPTURE CLOSED CONTAINERS, SPREADING  
FIRE, INCREASING RISK OF BURNS/INJURIES. WATER MAY BE INEFFECTIVE  
IN FIREFIGHTING DUE TO LOW SOLUBILITY. USE WATER SPRAY/FOG FOR  
COOLING. PRESSURE RELIEF SYSTEM MAY PLUG WITH SOLIDS, INCREASING  
RISK OF OVERPRESSURE. NOTIFY AUTHORITIES IF LIQUID ENTERS  
SEWER/PUBLIC WATERS.

=====  
SECTION V -- EMERGENCY AND FIRST-AID PROCEDURES  
=====

PRIMARY ROUTES OF ENTRY ARE DERMAL.

FOR SWALLOWING: DRINK TWO GLASSES OF WATER TO DILUTE. DO NOT INDUCE  
VOMITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. CONSULT  
PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. TREAT SYMPTOMATICALLY. BE  
PREPARED TO PROVIDE THE ATTENDING PHYSICIAN WITH A COPY OF THIS DOCUMENT.

FOR SKIN CONTACT: REMOVE CONTAMINATED CLOTHING. WASH THOROUGHLY WITH  
MILD SOAP AND WARM WATER. CONSULT A PHYSICIAN IF THERE IS ANY  
PERSISTING IRRITATION.

FOR INHALATION: REMOVE VICTIM TO A WELL VENTILATED AREA. GIVE OXYGEN  
OR ARTIFICIAL RESPIRATION AS REQUIRED. TREAT SYMPTOMATICALLY AND  
CONSULT PHYSICIAN.

FOR EYE CONTACT: FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST  
FIFTEEN MINUTES. CONSULT PHYSICIAN.

SPECIAL NOTES TO ATTENDING PHYSICIAN: THERE IS NO SPECIFIC ANTIDOTE.  
TREATMENT OF OVEREXPOSURE SHOULD BE DIRECTED AT CONTROL OF THE SYMPTOMS  
AND THE CLINICAL CONDITION.

=====  
SECTION VI -- SIGNS AND SYMPTOMS OF OVEREXPOSURE  
=====

ACUTE EFFECTS:  
SWALLOWING: CONTAINS MATERIAL THAT MAY BE SLIGHTLY TOXIC.

SKIN ABSORPTION: NO SPECIFIC INFORMATION AVAILABLE. CONTAINS MATERIALS  
THAT MAY BE SLIGHTLY TOXIC.

INHALATION: EXPOSURE TO VAPORS IS UNLIKELY DUE TO LOW VAPOR PRESSURE

MSDS# DVD

OF INGREDIENTS, BUT INHALATION OF MIST, AEROSOLS, OR VAPORS MAY RESULT IN IRRITATION OF THE RESPIRATORY TRACT, COUGHING, SHORTNESS OF BREATH AND DIZZINESS.

SKIN CONTACT: CONTAINS MATERIALS THAT MAY CAUSE SEVERE SKIN IRRITATION (REDDENING AND SWELLING) AND/OR SENSITIZATION. PROLONGED CONTACT MAY CAUSE BLISTER FORMATION (BURNS). SINCE IRRITATION MAY NOT OCCUR IMMEDIATELY, CONTACT CAN GO UNNOTICED.

EYE CONTACT: CONTAINS MATERIALS THAT MAY CAUSE MODERATE IRRITATION, INCLUDING BURNING SENSATION, TEARING, REDNESS OR SWELLING.

MEDICAL CONDITIONS KNOWN TO BE AGGRAVATED BY OVEREXPOSURE: LUNG CONDITIONS, SENSITIZATIONS, OR ALLERGIES, SKIN AND EYE CONDITIONS.

CHRONIC EFFECTS: NONE KNOWN.

ADDITIONAL KNOWN HEALTH HAZARDS: NONE KNOWN.

=====  
SECTION VII -- REACTIVITY DATA  
=====

THIS MIXTURE IS POTENTIALLY UNSTABLE AND HAZARDOUS POLYMERIZATION MAY OCCUR IF EXPOSED TO MATERIALS AND CONDITIONS TO BE AVOIDED.

INCOMPATIBILITY (MATERIALS TO AVOID): STRONG ACIDS, OXIDIZERS, ALKALI METAL HYDROXIDES, POLYMERIZATION INITIATORS, AND PEROXIDES.

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE, CARBON DIOXIDE, MIXED OXIDES OF NITROGEN.

CONDITIONS TO AVOID: EXTREME TEMPERATURES, DIRECT SUNLIGHT, X-RAY SOURCES, ELECTRON BEAM SOURCES, OR ULTRAVIOLET RADIATION SOURCES.

=====  
SECTION VIII -- SPILL OR LEAK PROCEDURES  
=====

PRECAUTIONS IF MATERIAL IS SPILLED OR RELEASED:  
SPILLED/RELEASED MATERIAL MAY POLYMERIZE AND RELEASE HEAT/GASES. EXTINGUISH ALL IGNITION SOURCES. BLANKET WITH FIREFIGHTING FOAM. IMPOUND/RECOVER LARGE LAND SPILL; SOAK UP SMALL SPILL WITH INERT SOLIDS. ON WATER, CONTAIN/MINIMIZE DISPERSION/COLLECT. REPORT PER REGULATORY REQUIREMENTS.

WASTE DISPOSAL METHODS:  
CONTAMINATED PRODUCT/SOIL/WATER MAY BE RCRA/OSHA HAZARDOUS WASTE DUE TO POTENTIAL FOR INTERNAL HEAT GENERATION (SEE 40 CFR 261 AND 29 CFR 1910). LANDFILL SOLIDS AT PERMITTED SITES. USE REGISTERED TRANSPORTERS. BURN CONCENTRATED LIQUIDS IN SYSTEMS THAT USE COMPATIBLE FUEL. DILUTE WITH CLEAN, LOW VISCOSITY FUEL. AVOID FLAMEOUTS. ASSURE EMISSIONS COMPLY WITH APPLICABLE REGULATIONS. DILUTE AQUEOUS WASTE MAY BIODEGRADE. AVOID OVERLOADING/POISONING PLANT BIOMASS. ASSURE EFFLUENT COMPLIES WITH APPLICABLE REGULATIONS.

=====  
SECTION IX -- SAFE HANDLING AND USE INFORMATION  
=====

RESPIRATORY PROTECTION: DUE TO LOW VAPOR PRESSURE, INHALATION IS NOT CONSIDERED AN OCCUPATIONALLY SIGNIFICANT ROUTE OF EXPOSURE, HOWEVER, A NIOSH-APPROVED RESPIRATOR IS RECOMMENDED FOR OPERATIONS RESULTING IN EXCESS ORGANIC VAPORS IN THE BREATHING ZONE.  
VENTILATION REQUIREMENTS: LOCAL EXHAUST RECOMMENDED WHEN APPROPRIATE TO CONTROL EXPOSURE TO MIST OR AEROSOLS. GENERAL EXHAUST IS NORMALLY ADEQUATE TO MINIMIZE EXPOSURE TO VAPORS.

MSDS# DVD

PROTECTIVE GLOVES: RUBBER OR NEOPRENE TO MINIMIZE SKIN CONTACT.  
EYE PROTECTION: SAFETY GOGGLES OR FULL FACE SHIELD WHENEVER A SPLASH HAZARD IS PRESENTED.  
HYGIENIC SAFETY PRACTICES: WASH HANDS BEFORE EATING, USING TOBACCO PRODUCTS, OR USING THE WASHROOM. TOBACCO AND FOOD SHOULD BE CONSUMED IN DESIGNATED AREAS ONLY.  
ADDITIONAL SAFETY EQUIPMENT: SAFETY SHOWER AND EYE BATH SHOULD BE MADE AVAILABLE.

SECTION X -- SPECIAL PROCEDURES

TRANSPORTATION, STORAGE, AND HANDLING: AVOID CONDITIONS LISTED IN SECTION VII. AVOID PROLONGED STORAGE AT TEMPERATURES IN EXCESS OF 100 F.

OTHER PRECAUTIONS: LEATHER GLOVES, APRONS, BELTS, OR BOOTS MAY BE PERMEATED BY THESE MATERIALS, CAUSING DELAYED AND PERSISTENT IRRITATION OR CHEMICAL BURNS. LEATHER ITEMS SHOULD BE DISPOSED OF, ONCE CONTAMINATED.

PROTECT AGAINST THE INHALATION OF DUST OR PARTICLES GENERATED BY SANDING, BLASTING, OR ABRADING OF THE DRIED COATING.

SECTION XI -- DISCLAIMER

SERICOL, INC. MAKES NO WARRANTY, EXPRESSED OR IMPLIED, AS TO THE ACCURACY OR RELIABILITY OF INFORMATION CONTAINED HEREIN, EXCEPT THAT SUCH INFORMATION IS, TO THE BEST OF SERICOL'S KNOWLEDGE AND BELIEF, ACCURATE AS OF THE DATE INDICATED ON THIS DOCUMENT. FINAL DETERMINATION OF SUITABILITY OF ANY MATERIAL IS THE SOLE RESPONSIBILITY OF THE USER. ALL MATERIALS MAY PRESENT UNKNOWN HEALTH HAZARDS AND SHOULD BE USED WITH CAUTION. ALTHOUGH CERTAIN HAZARDS ARE DESCRIBED HEREIN, WE CANNOT GUARANTEE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

SECTION XII -- PURCHASERS' OBLIGATIONS

SERICOL, INC. URGES THE CUSTOMER RECEIVING THIS MATERIAL SAFETY DATA SHEET TO STUDY IT CAREFULLY TO BECOME AWARE OF HAZARDS, IF ANY, OF THE PRODUCTS INVOLVED. IN THE INTEREST OF SAFETY, YOU SHOULD (1) NOTIFY YOUR EMPLOYEES, AGENTS, AND CONTRACTORS OF THE INFORMATION ON THIS SHEET, (2) FURNISH A COPY TO EACH OF YOUR CUSTOMERS FOR THIS PRODUCT, AND (3) REQUEST YOUR CUSTOMERS TO INFORM THEIR EMPLOYEES, CUSTOMERS, AND AGENTS, AS WELL.

SECTION XIII -- REGULATORY INFORMATION

TOXIC SUBSTANCES CONTROL ACT (TSCA) STATUS: THE INGREDIENTS OF THIS PRODUCT ARE LISTED ON THE TSCA INVENTORY.

THIS PRODUCT CONTAINS A TOXIC CHEMICAL OR CHEMICALS SUBJECT TO THE ANNUAL REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372.

CERTAIN GLYCOL ETHERS: 8-11% BY WEIGHT

THIS NOTIFICATION MUST NOT BE DETACHED FROM THE MATERIAL SAFETY DATA SHEET (MSDS) AND ANY COPYING AND REDISTRIBUTION OF THE MSDS SHALL INCLUDE COPYING AND REDISTRIBUTION OF THE NOTICE ATTACHED TO COPIES OF THE MSDS SUBSEQUENTLY REDISTRIBUTED.

STATE OF CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986 (PROPOSITION 65): THIS PRODUCT DOES NOT CONTAIN CHEMICALS KNOWN TO

MSDS# DVD

THE STATE OF CALIFORNIA TO CAUSE CANCER OR REPRODUCTIVE TOXICITY.

February 23, 2009

Ms. Gail Husa  
Phylco Audio

Dear Ms. Husa:

The Fujifilm Sericol Seridisc DVD series screen printing inks have been tested for lead content by Bureau Veritas, a CPSIA accredited testing facility. All test reports demonstrated the DVD series comply with the Consumer Product Safety Improvement Act (CPSIA) Section 101 Children's Products Containing Lead; Lead Paint Rule's new limit for lead of 90 parts per million (0.009 percent).

Thank you for supporting our products. Should you have any questions, please call me direct at (913) 573-3803 or contact me by e-mail at [craigpoggenpohl@fujifilmsericol.com](mailto:craigpoggenpohl@fujifilmsericol.com).

Sincerely,



Craig Poggenpohl  
Environmental, Health & Safety Manager

Cc: Ralph Bobsin